

FORFLEX® 71D320D48/AB BIANCO

FORFLEX®

Product information

Resin Identification	TPO	ISO 1043
Part Marking Code	>TPO<	ISO 11469

Typical mechanical properties

Tensile stress at 100% elongation	9.5 MPa	ISO 527-1/-2 or ISO 37
Stress at 300% elongation	9.6 MPa	ISO 527-1/-2 or ISO 37
Stress at break	13.4 MPa	ISO 527-1/-2 or ISO 37
Elongation at break, perpendicular	630 %	ISO 527-1/-2 or ISO 37
Shore D hardness, 15s	47	ISO 48-4 / ISO 868
Tear strength, normal	76 kN/m	ISO 34-1

Physical/Other properties

Density	950 kg/m ³	ISO 1183
---------	-----------------------	----------