

# SAFETY DATA SHEET Asia Pacific GHS Format

Print date: 19-Nov-2015 Revision Number: 1 Revision date: 19-Nov-2015

# 1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

Trademark: ULTEM™ **Product Code:** 1000FC - 1000

**Product Description:** Polyetherimide [CASRN proprietary]

Commercial Product **Product Type:** 

Recommended use: May be used to produce molded or extruded articles or as a component of other industrial

products.

-SABIC Japan LLC. Tokyo Club Building, 2-6 3Chome Kasumigaseki, Chiyoda-Ku Tokyo, 100-0013 Company:

-SABIC Innovative Plastics (China) Ltd.or SABIC Innovative Plastics International Trading Shanghai

Ltd. 2550 Xiupu Road, Pudong New Area, Shanghai 201319, China (Contact address) -SABIC Korea Ltd. 20F, Donghoon Building, 317, Teheran-ro, Seoul, Korea

-SABIC Innovative Plastics Singapore Pte Ltd 23, Benoi Road, 629895 Singapore

-SABIC Innovative Plastics (Thailand) Co. Ltd 64/22 Moo 4 Tumbol Pluak Daeng, Amphur Pluak

Daeng, Rayong 21140 Thailand

-SABIC Innovative Plastics India Ltd. Plastics Avenue, P.O. Jawaharnagar, District Vadodara 391320

India

-SABIC Taiwan Holding Ltd, Taiwan Branch, Room B,7F,No. 8,Min-Sheng E. Rd. Sec. 3,Taipei City

10480 Taiwan

-SABIC Innovative Plastics Hong Kong Limited. Flat/ RM 1701, Tower 1, the Gateway 25 Canton Road,

Tsimshatsui, Hong Kong

-SABIC Innovative Plastics (Aust.) Pty. Ltd. Suite 14, Building 3, 195 Wellington Road, Clayton,

Victoria, Australia 3168

Manufacturer: SABIC Innovative Plastics

CR Cartagena - Alhama de Murcia Km 13

La Aljorra - Cartagena 30390

Spain

**Emergency Telephone Number:** Japan: +(81)-3-3593-4735

China: +86 532 83889090, +86 20 84980148

Korea: +(82)-2-510-6546 Singapore: +(65)-6210 4199

Thailand: +(66)-22312323-4 ext. 46, +(66)-38927000 ext. 7026

India: +(91)-265 3068554 Australia: +61 (0)3 9566 3000

**Emergency** 

800 424-9300 (USA) Transportation/CHEMTREC

(24 HOUR):

+1 703-527-3887 (globally, outside USA)

E-mail: Asiaproductinguiries@sabic.com

Website Address: www.sabic-ip.com

Product Name: UP1000FC-1000-0 (NPI) Page 1 of 9 Revision date: 19-Nov-2015



# 2. HAZARDS IDENTIFICATION

The additives in this product (if any) are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physico-chemical form and/or bioavailability of the individual components in the thermoplastic resin.

Where GHS classifications are shown below, these are based on the individual components in the thermoplastic resin matrix. Under the typical use conditions for the resin, these hazardous components are unlikely to contribute to workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

Globally Harmonized System, UN(GHS) - Classification

**GHS Category** 

Not hazardous

Not classified

**GHS-Labeling** 

GHS Labeling not required

#### **Precautionary Statements**

No GHS specific Precautionary Statements required - observe all other warnings and handling instructions in this SDS.

Other hazards which do not result in classification:

#### **SABIC Emergency Overview**

- · Pellets with slight or no odor
- · Spilled material may create slipping hazard
- · Can burn in a fire creating dense, toxic smoke
- · Molten plastic can cause severe thermal burns
- Fumes produced during melt processing may cause eye, skin, and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills, and fever. See below for additional effects.
- Secondary operations, such as grinding, sanding, or sawing can produce dust which may present an explosion or respiratory hazard.

Other Information: Cool skin rapidly with cold water after contact with molten material. Heating can release

hazardous gases. Hazardous fumes can also occur in post-processing operations.

**Processing Issues:** Processing vapors may cause irritation to the eyes, skin, and respiratory tract. In cases of

severe exposure, nausea and headache can also occur. Grease-like processing vapor condensates on ventilation ductwork, molds, and other surfaces can cause irritation and

injury to skin.

Aggravated Medical Conditions: MEDICAL RESTRICTIONS: There are no known health effects aggravated by exposure to

this product. However, certain sensitive individuals and individuals with respiratory impairments may be affected by exposure to components in the processing vapors.

Product Name: UP1000FC-1000-0 (NPI) Page 2 of 9 Revision date: 19-Nov-2015



# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product Type** 

Mixture

For the full text of the H-statements, if mentioned in this section, see Section 16.

The non-hazardous components and exact percentage (concentration) of the composition have been withheld as a trade secret.

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

# 4. FIRST AID MEASURES

If Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

If symptoms persist, call a physician.

On skin contact: Immediately cool the skin by rinsing with cold water after contact with hot material. Wash off

immediately with soap and plenty of water. Consult a physician.

On contact with eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist.

On ingestion: No hazards which require special first aid measures.

**Precautions:** Cool molten product on skin with plenty of water. Do not remove solidified product. Do not

peel polymer from the skin.

# 5. FIRE-FIGHTING MEASURES

**Autoignition Temperature:** 

630°C (1166°F) estimated

**Explosive Limits** 

upper: lower:

Not determined Not determined

Suitable Extinguishing Media:

Use dry chemical, CO2, water spray or "alcohol" foam.

for Safety Reasons:

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

**Hazards from Combustion** 

Products:

Fire will produce dense black smoke containing hazardous combustion products, carbon

oxides, hydrocarbon fragments, nitrogen oxides, hydrogen cyanide.

**Specific Hazards:** 

Take precautionary measures against static discharges. During processing, dust may form

explosive mixture in air. Thermal decomposition can lead to release of irritating gases and

vapors.

**Special Protective Equipment** 

for Firefighters:

In the event of fire, wear self-contained breathing apparatus (EU: NEN-EN137).

Do not release chemically contaminated water into drains, soil or surface water. Sufficient **Exposure hazards:** 

measures must be taken to retain the water used for extinguishing. Dispose of

contaminated water and soil according to local regulations.

Product Name: UP1000FC-1000-0 (NPI) Page 3 of 9 Revision date: 19-Nov-2015



# **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions:

See section 8.

**Environmental Precautions:** 

Do not flush into surface water or sanitary sewer system. Material should not be released

into the environment.

Clean up:

Sweep up and shovel into suitable containers for disposal. Do not create a powder cloud by

using a brush or compressed air.

# 7. HANDLING AND STORAGE

**Handling:** Handle in accordance with good industrial hygiene and safety practices Provide for

appropriate exhaust ventilation and dust collection at machinery Avoid dust formation All

metal parts of the mixing and processing equipment must be earthed

Storage: Store in closed container in a dry and cool area. Keep away from heat sources and sources

of ignition.

**Incompatible Products:** Strong acids, strong oxidizing agents.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** No components with information, unless noted below

\*SABIC Recommended Exposure Limits have been established for certain chemicals.

**Engineering Measures to** 

Reduce Exposure:

In the case of hazardous fumes, wear self-contained breathing apparatus. Wear face-shield and protective suit for abnormal processing problems. Handle in accordance with good industrial hygiene and safety practice. Provide for appropriate exhaust ventilation at

machinery.

Hand Protection: Protective gloves should be worn, (EU: NEN-EN 374)

**Eye Protection:** Safety glasses with side-shields. (EU: NEN-EN 165-166).

Respiratory Protection: In the case of hazardous fumes, wear self contained breathing apparatus. In case of

insufficient ventilation wear suitable respiratory equipment. (EU: NEN-EN149).

**Body Protection:** Long sleeved clothing (EU: NEN-EN 340-369-465)

**Hygiene Measures:** When using, do not eat, drink or smoke.

Product Name: UP1000FC-1000-0 (NPI) Page 4 of 9 Revision date: 19-Nov-2015



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Solid Pellets

Appearance:

Same as color code

Color: Odor:

None

Melting point/range:

Various

Autoignition Temperature:

630°C (1166°F) estimated

Vapor Pressure: Water Solubility: Evaporation Rate: Negligible Insoluble Negligible

**Explosive Limits** 

upper: lower: Not determined Not determined

Specific gravity: VOC content (%):

>1; (water = 1) Negligible

# 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under recommended conditions of handling, storage, processing and use. No

information available.

Stability: Stable under ambient conditions. Hazardous polymerization does not occur.

**Conditions to Avoid:** Avoid temperatures above 630°C. To avoid thermal decomposition, avoid elevated

temperatures. Heating can result in the formation of gaseous decomposition products,

some of which may be hazardous.

Materials to Avoid: May react with strong oxidizing agents, strong acids or other highly reactive chemicals

**Hazardous Decomposition** 

Products:

Traces of phenol, alkylphenols, diarylcarbonates, hydrocarbons, nitrogen oxides (NOx).

Product Name: UP1000FC-1000-0 (NPI) Page 5 of 9 Revision date: 19-Nov-2015



# 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

**Product Information:** 

LD50/oral/rat:

>5000 mg/kg

LD50/dermal/rabbit:

>2000 mg/kg

**Component Information:** 

**Component Information Text:** 

No data available

Sensitization

**Respiratory Sensitization:** 

Not classified

Irritation:

Eye Irritation:

no data available

**Primary Irritation:** 

Substance does not generally irritate and is only mildly irritating to the skin

Subchronic Toxicity (28 days)

Repeated Oral Toxicity(28d):
Repeated Dermal Toxicity(28d):

No information available No Information available No information available

Subchronic Toxicity:

**Chronic Toxicity** 

Carcinogenicity: There are no known carcinogenic chemicals in this product except specifically mentioned

below.

**Mutagenic Effects:** 

No data is available on the product itself

Reproductive Toxicity:

No information available

**Developmental Toxicity:** 

No information available.

**Neurological effects:** 

No information available.

Specific Target Organ

Toxicity(STOT)

**Target Organ Effects:** 

Not established.

**Aspiration Hazard** 

**Aspiration Hazard Statement:** 

No data available

Other relevant toxicity information

IARC: OSHA: Not listed

OSHA

Not regulated Not tested

Remarks:

The toxicological data has been taken from products of similar composition.

Special Studies:

No Information

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Component Information:** 

**Product Information:** 

Toxicity to fish: LC50/96h (Rainbow trout) > 1000 mg/L; NOEC determined to be 1000 mg/L

Polyetherimide sub-micron fiber

Toxicity to daphnia: EC50/48h (Daphnia magna) > 1000 mg/L; NOEC determined to be 1000 mg/L

Polyetherimide sub-micron fiber

Product Name: UP1000FC-1000-0 (NPI) Page 6 of 9 Revision date: 19-Nov-2015



Toxicity to algae:

EC50/96h (Pseudokirchneriella subcapitata) > 1000 mg/L; NOEC determined to be 1000

mg/L Polyetherimide sub-micron fiber

Other information:

Based on the ecotoxicology studies conducted on fine particles/fibers in the sub-micron range, this material is not expected to be environmentally hazardous under normal use.

Persistence and Degradability

Biodegradation: Partition coefficient (n-octanol/water) Not inherently biodegradable

Not established.

**Bioaccumulative Potential:** 

Bioaccumulation:

Not established.

**Mobility** 

Mobility:

May be separated mechanically in waste water plants.

Other Adverse Effects

**Ecotoxicity Effects:** 

Do not flush into surface water or sanitary sewer system.

# 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

products:

Where possible recycling is preferred to disposal or incineration. Dispose of in accordance

with local regulations.

Contaminated Packaging:

Empty containers should be transported/delivered using a registered waste carrier for local

recycling or waste disposal.

Waste Disposal:

Recycling is encouraged. Landfill or incinerate in accordance with federal, state and local

requirements. Collected processing fume condensates and incinerator ash should be

tested to determine waste classification.

# 14. TRANSPORT INFORMATION

**Transport Classification:** Not regulated as hazardous for shipment, unless noted below, under current transportation

guidelines.

IMO / IMDG Not regulated

ICAO Not regulated

<u>IATA-DGR</u> Not regulated

**DOT** Not regulated

ADR/RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

International Inventories:

TSCA (USA):

Listed

**DSL (Canada):** Not listed - Registration underway for one ingredient

Product Name: UP1000FC-1000-0 (NPI) Page 7 of 9 Revision date: 19-Nov-2015



EINECS/ELINCS (Europe): Listed ENCS (Japan): Listed

IECSC (China): Not listed - Polymer simplified notification approved under Sabic Innovative Plastics

KECL (Korea): Listed

PICCS (Philippines): Not listed -Polymer notification approved under Sabic AICS (Australia): Not listed - conditional or limited quantity approval

NZIoC (New Zealand): Not listed - Confidential Listed

#### Other Inventory Information:

A "Listed" entry above means all chemical components are on the respective inventory list and/or a qualifying exemption exists for one or more components. A "Not listed" entry above indicates one or more components is restricted from import or manufacture into that country/region. Articles are exempt from registration and are therefore not listed on the national chemical inventories.

#### SVHC (REACH Regulation (EC) No 1907/2006 and 453/2010, as amended):

This product does not intentionally contain SVHC chemicals except as noted below. Incidental amounts of impurities, if present, would be below the threshold limit of 0.1% by weight.

#### SARA (313) Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### **SARA (311, 312) hazard class:**

Acute Health Hazard	N
Chronic Health Hazard	N
Fire Hazard	N
Sudden Release of Pressure Hazard	N
Reactive Hazard	N

#### Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

#### WHMIS hazard class:

Non-controlled

## **California Proposition 65:**

Components in this product known to the State of California to cause cancer and/or reproductive effects, are listed below:

Chemical Name	Weight %	California Proposition 65:
4,4'-isopropylidenedipher (bisphenol A) 80-05-7	ool ≤10 ppm	Listed: May 11, 2015 Type of Toxicity: Female

### RoHS EU Directive 2011/65/EU:

The subject product is in compliance with EU RoHS Directive 2011/65/EU. All below chemicals are not employed in the manufacture of the product: a.Cadmium and its compounds, b.Lead and its compounds, c.Mercury and its compounds, d.Hexavalent chromium compounds, e.Polybrominated biphenyls (PBBs), f.Polybrominated diphenyl ethers (PBDEs including Deca-BDE). The trace levels of heavy metals may be present as impurities within threshold limits (<0.1% for Pb, Hg, Cr VI, and <0.01% for Cd). We are disclosing this information, to the best of our knowledge, based upon data from our raw material manufacturers.

#### Remarks

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

# HMIS Rating Health: 0 Flammability: 1 Reactivity: 0

Product Name: UP1000FC-1000-0 (NPI) Page 8 of 9 Revision date: 19-Nov-2015



# 16. OTHER INFORMATION

# SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates.

Visit our public website to search, view and print Safety Data Sheets for commercial products: <a href="http://eur.sabic-ip.com/ordeur/pages/msds/MSDSSearch.jsp?app=sabic-ip">http://eur.sabic-ip.com/ordeur/pages/msds/MSDSSearch.jsp?app=sabic-ip</a>

## SDS Scope:

Singapore: Conforms to Singapore workplace Safety and Health (WSH) Act, WSH Regulations, and GHS Standard 586 China: Conforms to Chinese Regulation on the Control over Safety of Hazardous Chemicals (Decree No 591) and GHS standards GB15258,GB13698,GB/T16483 etc.

Japan: Conforms to Industrial Safety and Health Law (2006) and GHS related Standards JIS Z7253:2012

Korea: Conforms to Industrial Safety & Health Act, Ministry of Labor, Korea

Taiwan: Conforms to Taiwan Rules on Hazard Communication and Labeling of Hazardous Substances, (Council of Labor Affairs, Taiwan) and GHS standards Z1051

Thailand: Conforms to Notification of the Ministry of Industry on the System of Classification and Hazard Communication of Hazardous Substances B.E. 2555 (2012)

Australia: National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)] This document is also applicable in other countries and regions.

## Prepared by: Product Stewardship & Toxicology

DISCLAIMER: This Safety Data Sheet [SDS] information is provided based on the Hazard Communication Regulations for your region or country and for the use of the persons required to receive this information under those regulations. The information is neither designed nor recommended for any other use or for use by any other person, including for compliance with other laws. SABIC Innovative Plastics does not warrant the suitability for use of this SDS for any other material or product not specifically identified herein. SABIC Innovative Plastics does not warrant the accuracy or authenticity of this SDS unless it has been obtained directly from SABIC Innovative Plastics, or posted or viewed on a SABIC Innovative Plastics website. Modification of this SDS, unless specifically authorized by SABIC Innovative Plastics, is strictly prohibited. This SDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under SABIC Innovative Plastics' control, each user is responsible for making its own determination as to the safe and proper handling of this material in its own particular use of this material. SABIC INNOVATIVE PLASTICS MAKES NO REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each user should read and understand this information and incorporate it into individual site safety programs as required by applicable hazard communication standards and regulations.

**End of Safety Data Sheet** 

Product Name: UP1000FC-1000-0 (NPI) Page 9 of 9 Revision date: 19-Nov-2015