

SABIC® STAMAX long glass fiber reinforced PP homopolymers

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation

: SABIC® STAMAX long glass fiber reinforced PP homopolymers **Product name**

: PP-GF **Chemical name** : Solid. **Product type** Company/undertaking identification

: SABIC SALES Europe B.V. or any of its Affiliates Supplier

> Europaboulevard 1, 6135 LJ SITTARD P.O. Box 5151, 6130 PD SITTARD

The Netherlands

e-mail address of person responsible for this SDS

sds.info@sabic-europe.com

Emergency telephone number (with hours of operation)

The Netherlands: +31 (0)46 476 55 55 (0h - 24h)

UK: +44 (0)208 762 8322 (0h - 24h)

: Automotive Products Use of the

substance/preparation

HAZARDS IDENTIFICATION

The product is not classified as dangerous according to Directive 67/548/EEC and its amendments.

Classification : Not classified.

See section 11 for more detailed information on health effects and symptoms.

COMPOSITION/INFORMATION ON INGREDIENTS

: Preparation Substance/preparation

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. % = % by weight

FIRST AID MEASURES

First-aid measures

Inhalation : Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if

breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Obtain medical attention if symptoms occur.

Ingestion

: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious,

give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Obtain medical attention if symptoms occur.

Skin contact Heated material can cause thermal burns. Wash the contaminated skin gently and

thoroughly with running water and non-abrasive soap. To avoid more irritation do not rub or scratch. Remove contaminated clothing and shoes. Obtain medical attention if

symptoms occur.

Eye contact : Heated material can cause thermal burns. Immediately flush eyes with plenty of

water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if

irritation occurs.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

Notes to physician

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of : 19/05/2009. 1/6

revision

SABIC® STAMAX long glass fiber reinforced +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: No specific fire or explosion hazard.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Fire will produce dense black smoke.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Remark

Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources.

6. **ACCIDENTAL RELEASE MEASURES**

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

HANDLING AND STORAGE

Handling

: Hazard of slipping on spilt product. Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials

Recommended Use original container.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Date of issue/Date of : 19/05/2009. 2/6 revision

SABIC® STAMAX long glass fiber reinforced +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient name

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Exposure controls

Occupational exposure controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 4-8 hours (breakthrough time): When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product.

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: When handling hot material, wear heat-resistant protective gloves, clothing and face shield that are able to withstand the temperature of the molten product.

Skin protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Internal OEL : Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Appearance

Physical state : Solid. [Granular solid.]

Colour : Various

Odour : Characteristic.

Important health, safety and environmental information

Melting point : 155 to 170°C (311 to 338°F)

Flash point : Closed cup: >355°C (>671°F)

Explosive properties : Explosive in the presence of the following materials or conditions: open flames,

sparks and static discharge.

Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources.

Relative density : 0.95 to 1.7

Solubility : Insoluble in the following materials: cold water and hot water.

Other information

Date of issue/Date of : 19/05/2009. 3/6 revision

SABIC® STAMAX long glass fiber reinforced +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

PHYSICAL AND CHEMICAL PROPERTIES 9.

: >370°C (>698°F) **Auto-ignition temperature**

10. STABILITY AND REACTIVITY

Chemical stability

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data. : No specific data. Materials to avoid

Hazardous decomposition

products

should not be produced.

: The product is stable.

Under normal conditions of storage and use, hazardous decomposition products

11. TOXICOLOGICAL INFORMATION

Toxicokinetics

: Not available. **Absorption Distribution** Not available.

Potential acute health effects

Acute toxicity

Product/ingredient name Result **Species Dose Exposure**

PP-GF LD50 Oral Rat >5000 mg/kg

Potential chronic health effects

: No known significant effects or critical hazards.

Irritation/Corrosion

Skin : Exposure to dust from glass fibres sometimes causes itching and short term irritation

of the skin.

No significant irritation expected other than possible mechanical irritation. **Eyes** Respiratory : No significant irritation expected other than possible mechanical irritation.

Chronic effects : No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. **Mutagenicity** No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. No known significant effects or critical hazards. **Fertility effects**

Over-exposure signs/symptoms

Inhalation : No specific data. Ingestion : No specific data. Skin : No specific data. **Eyes** : No specific data.

12. ECOLOGICAL INFORMATION

Environmental effects

Biodegradability

: No known significant effects or critical hazards.

Other adverse effects : No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Date of issue/Date of : 19/05/2009. 4/6 revision

SABIC® STAMAX long glass fiber reinforced +135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

14. TRANSPORT INFORMATION

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not regulated.	-	-	-		-
ADNR Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-

PG*: Packing group

15. REGULATORY INFORMATION

Chemical Safety : Not available.
Assessment

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases : This product is not classified according to EU legislation.

Product use : Industrial applications.

Europe inventory : Not determined.

Prior Informed Consent. : Not listed

List of chemicals subject to the international PIC procedure (Part I, II, III) International regulations

Chemical Weapons Convention: Not listed

List Schedule I Chemicals

Chemical Weapons Convention: Not listed

List Schedule II Chemicals

Chemical Weapons Convention: Not listed

List Schedule III Chemicals

16. OTHER INFORMATION

Uses

None identified.

History

Date of printing : 19/05/2009.

Date of issue/ Date of : 19/05/2009.

revision

Date of previous issue : 22/04/2009.

Version : 2

Prepared by : Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

Date of issue/Date of : 19/05/2009. 5/6

revision

SABIC® STAMAX long glass fiber reinforced +135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai)

+852-6957-5415 (HongKong)

16. OTHER INFORMATION

The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is meant as a guideline for safe use, handling, disposal, storage and transport of products and does not imply any warranty (not implied nor explicitly) or specification. The Supplier shall to the extend permitted by law not be liable for any error or incorrectness in the information attend in this Safety Data Sheet. The information relates exclusively to the specified products, which may not be suitable for combination with other materials or use in processes other than those specifically described here.

Annex

Date of issue/Date of : 19/05/2009. 6/6