

**超塑烯® UE647-04**

**EVATHENE® UE647-04**

**乙烯醋酸乙烯酯共聚合樹脂**

**ETHYLENE-VINYL ACETATE COPOLYMER RESINS**



**概述**

超塑烯® UE647-04 是一種乙烯醋酸乙烯酯共聚合樹脂。

**Description**

EVATHENE® UE647-04 is an ethylene-vinyl acetate copolymer resin (EVA).

**特性**

- ◇ 極高流動性
- ◇ 柔軟性
- ◇ 彈性
- ◇ 優異的熱穩定性
- ◇ 耐低溫性極佳
- ◇ 衛生無毒
- ◇ 與增黏劑樹脂及石蠟的兼容性佳

**Characteristics**

- ◇ High flowability
- ◇ Flexibility
- ◇ Elasticity
- ◇ Excellent heat stability
- ◇ Good low temperature resistance
- ◇ Non-toxicity
- ◇ Outstanding compatibility with tackifier resins and petroleum wax.

**應用**

配製熱熔膠

**Applications**

Hot melt adhesives

**物理性質 Physical Properties**

項目 Properties	試驗方法 Test Method	數 值 Typical Value
VA 含量 VA Content (%)	USI	28
熔融指數 Melt Index (g/10min)	ASTM D1238	800
密度 Density (g/cm <sup>3</sup> )	ASTM D792	0.940
環球軟化溫度 Ring and Ball Softening Point (°C)	ASTM E28	80
熔點 Melt Point (°C)	ASTM D3418	63
硬度(蕭氏 A) Hardness (Shore A)	ASTM D2240	54